

REMARKS

Claims 1-15 were presented for examination. The Office Action indicates that:

(a) The drawing changes proposed April 16, 2003 were approved.

(b) Claims 1-4, 6, 7 and 11-15 were rejected under 35 USC 102(b) as being anticipated by US Patent No. 4,618,198 to Dale et al.

(c) Claim 5 was rejected under 35 USC 103(a) as being unpatentable over the Dale et al. Patent in view of US Patent No. 5,785,544 to Linden et al.

(d) Claims 8-10 and 15 were rejected under 35 USC 103(a) as being unpatentable over the Dale et al. Patent in view of US Patent No. 4,691,080 to Reinhart et al.

Claims 1-15 are presented for reconsideration. It is respectfully submitted that the application as amended satisfies the statutory requirements of 35 USC 102(b) and 35 USC 103(a). Accordingly, reconsideration of this application in view of the above amendments and the following remarks is requested.

Preliminarily, it is noted that the Applicant has amended Claims 1 and 13 to replace the word "complimentary" with the word "complementary", which better corresponds with the description at page 5, lines 13 and 19, and page 6, line 24, and the Abstract at line 8.

The new Drawing 1/1 is submitted in response to the indication at Item 11 of the Office Action Summary that the proposed changes are acceptable.

With regard to the prior art rejections, it is noted that the Applicant has invented an improved electrical connector for connecting electrical conductors (e.g., of thermocouples and field cables) in hot, highly radioactive

(10/077,628)

7

environments around nuclear reactor pressure vessels. As is discussed in the specification at page 2, lines 7-22, compression fittings have been used in the art in this service. However, the compression fittings may rotate and become loose and ultimately fail with loss of a thermocouple signal.

The Applicant's connector has a first and a second elongated, tubular, metal housing. This arrangement enables connector pins supported by the second housing to be readily crimped with the conductors and then the connector assembly to be completed. Importantly, the first housing has a first end adapted to be metallurgically joined (brazed according to Claim 2) to the sheath surrounding the electrical conductor. Advantageously in later use, the metallurgical joint prevents the connector from twisting relative to the conductor (due to mechanical interference with a protective sleeve) and loosening the crimped connection of the supported pin. See, in this regard, page 7, lines 7-10, Of the description.

It is respectfully submitted that the Dale et al. Patent does not teach or suggest the Applicant's connector having a first housing with a first end sized to closely receive and prepared to be metallurgically joined with the sheath. As the Office Action analyzed the Davis et al. Patent, the Dale et al. connector has a first housing 34,89/(seal cap 77?) in combination with a second housing 42 for connecting a first conductor 21,22. However, Items 34 and 89(77?) are the seal body and cap portions of a compression fitting. See, in this regard, the Dale et al. Patent Figure 4 and at column 5, lines 26-56.

Thus, the first end of the first housing is not prepared to be metallurgically jointed with the sheath and the body could be twisted by the Applicant's protective sleeve used to cover the connector.

Thus, it is respectfully submitted that Claims 1-15 are patentable and that the application satisfies the statutory requirements of the statute. Accordingly, allowance of these claims is respectfully solicited.

The Commissioner is authorized to charge any additional fees required by 37 CFR 1.16 or 37 CFR 1.17 as a result of this Reply to Deposit Account No.

50-0947.

Respectfully submitted,

James C. Valentine
Attorney for Applicants
Tele: (412) 374-3970
Facsimile No. 412-374-3832

Date: 9/16/2003

J.C. Valentine:pl
Reg. No. 27,239

**RECEIVED
CENTRAL FAX CENTER**

SEP 16 2003

OFFICIAL

(10/077,628)

9

PTO/SB/97 (08-03)

Approved for use through 07/31/2006. OMB 0851-0031

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

(703) 872-9318

on September 16th, 2003
Date

Patricia Leshnock
Signature

Patricia Leshnock

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Docket No.: N2000-017
Serial No.: 10/077,628
Filed: February 19th, 2002
Title: HERMETICALLY SEALED NUCLEAR INSTRUMENTATION CONNECTION

Papers Filed: Rule 111 Reply (9 Pages)
Certificate of Transmission (1 Page)
Total of 10 pages

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.